

Product Overview

The Marvis Al Assistant is the digital network expert that supports your team of network experts—network administrators, site reliability engineers (SREs)—or anyone based in network operations centers (NOCs)

Marvis Al Assistant is the first network assistant in the industry to bring conversational Al to networking, transforming the way IT teams interact and engage with enterprise networks.

In the era of Al-native networking Marvis delivers:

- Streamlined operations
- Simplified troubleshooting
- Exceptional user experiences

MARVIS AI ASSISTANT DATASHEET

Introducing your conversational network assistant

Conversational assistants (such as Siri, Cortana, and Alexa) have come a long way to become a part of our everyday lives, evolving the way humans interact with technology. They represent an area of strategic investment across several industries, including banking, retail, and healthcare, as leading organizations look to streamline operations and deliver personalized experiences to users. In enterprise networking, Mist*, Juniper's Al-native networking platform, driven by the Marvis Al engine is the first to bring a conversational assistant to enterprise networking teams through the Marvis Al Assistant, (formerly Marvis Virtual Network Assistant).

Marvis AI Assistant enriches natural language processing (NLP) capabilities by integrating natural language understanding (NLU), allowing it to function as a conversational assistant that not only comprehends user language, but also understands intent. The power of the Marvis AI Assistant is that it can contextualize requests to accelerate troubleshooting workflows, converse with the network, provide information about the network, answer product- or feature-specific questions, and help find any type of network device/client. Specifically, Marvis AI Assistant can:

- Get real-time answers about the network with a few questions
- Deduce user intent from general statements and inquiries using advanced NLP with NLU and NLG
- Provide agentic AI capabilities by using multiple agents and learning from user feedback
- Ask generic questions beyond troubleshooting, like "How to setup RRM?" and "Does AP have capacity?"



Figure 1: Marvis Al Assistant

Marvis AI Assistant brings unparalleled insight and automated actions to troubleshooting and support operations so IT teams can achieve quicker mean time to resolution or innocence. It presents a comprehensive network view with user, client, and device insights,

eliminating the need to pull up multiple dashboards or memorize CLI commands. Marvis AI Assistant is an extension of the IT team, and a one-stop shop for understanding the state of the network. It combs through data and logs to determine root causes and provides answers in real time with high efficacy. With answers at their fingertips, it transforms the way IT teams experience and interact with the network.

Client-to-cloud view via actions: Journey to a self-driving network

Marvis Actions' capabilities drive operational simplicity in the network, shifting operations from reactive troubleshooting to proactive remediation. It offers a "morning cup of coffee" dashboard view, which delivers visibility into high-impact network issues at an organizational level so that administrators know exactly what they need to prioritize and focus on for the day. As sites are added, Marvis Actions scales with ease with no additional setup is required from the user.



Figure 2: Marvis provides proactive return material authorizations

Marvis AI Assistant proactively identifies the root cause of issues across IT domains (WLAN, LAN, <u>WAN</u>, security, and applications), providing insights into every high-impact issue seen when a client is accessing an application either in the data center or cloud (client to cloud). It can automatically resolve issues in real time, with permissions from the user (self-driving mode), or recommend actions that require user intervention (driver assist mode). Once completed, Marvis AI Assistant closes the feedback loop by validating that the actions are correct in Marvis AI Engine, thus helping Marvis AI Assistant learn while gaining your IT team's trust.

Marvis Actions dashboard now offers self-driving capabilities, allowing it to automatically execute corrective actions—such as resolving misconfigured ports or performing port bounces—once permission is granted via a simple toggle. The new Marvis Actions Dashboard features a refreshed interface, including a dedicated self-driving icon and a historical view of both driver assist and self-driven actions. This empowers IT teams to visualize how Marvis Al Assistant has contributed to improved user experiences at both site and organizational levels.



Figure 3: Marvis Actions dashboard, permission to self-drive



Figure 4: Marvis Actions dashboard

Juniper Wired Assurance, also includes a range of Marvis Actions. For example, Marvis AI Assistant isolates wired clients failing to connect and identifies bad network cables connected to ports, mismatched port settings, L2 loops, DHCP failure scopes, wired clients failing to authenticate, and continuous port flaps with an option to also disable the port. (Users also have the option to ask Marvis AI Assistant to automate the disablement of port flaps).

Marvis Al Assistant also automatically adds missing VLAN tags, fixes incorrect port mode configuration, and isolates persistently failing wireless clients. It also identifies missing VLANs from third-party switches.

For <u>Juniper Wi-Fi Assurance</u>, Marvis Actions:

- Helps isolate access points (APs) that missed a firmware upgrade in any given site
- Provides root causes and failure scopes when an AP goes offline (site or switch down scenario)
- Isolates persistently failing wireless clients
- Detects coverage holes, APs, or locations with insufficient capacity
- Identifies APs connected to a bad cable
- Detects missing VLANs

Marvis AI Assistant also includes unique configuration change capabilities that provide insights into issues with upstream services and devices, such as radius, DHCP, DNS servers, and ARP gateways. Root cause analysis not only includes server failures, but it also includes complete failures seen on an AP, switch, WLAN, or across a site or organization.

Additionally, Marvis AI Assistant delivers AI-native support with proactive return material authorization (RMA) for unhealthy <u>Juniper access points</u>. It eliminates the manual troubleshooting of checkpoints initiated by support teams, delivering significant savings in time and effort while boosting the overall experience of users, devices, and clients.



Figure 5: RMA

And with an API-driven interface, Marvis AI Assistant can trigger these actions via webhooks and email alerts, enabling you to autoopen support tickets or work orders in.

To learn more about Marvis Actions, visit: https://www.juniper.net/documentation/us/en/software/mist/mist-aiops/topics/concept/marvis-vna.html.

A next-level digital twin

Issue identification and resolution has always been a reactive activity that's frustrating and stressful for IT teams and users alike. Marvis Al Assistant flips the script by providing the industry's first and only Al-native networking digital experience twins, Marvis Minis.

For the first time ever, the network itself can leverage Al to proactively detect wireless, wired, and WAN problems in real time without the need for users present. Marvis Minis, which are available through the Mist cloud simulate end user, client, device, and app traffic on your network and employ unsupervised machine learning for continuous insights into network behavior and needs.

Marvis Minis




Figure 6: Marvis Minis SLEs (1)




Figure 7: Marvis Minis SLEs (2)

Unlike traditional solutions for digital twinning and synthetic testing, Marvis Minis don't require manual configuration or any additional hardware or software. They are digital experience twins, now client-to-cloud available on all Juniper full-stack devices. Marvis Minis are always on and constantly ingesting user traffic data. The Marvis Al Assistant automatically triggers Marvis Minis based on events, such as a network configuration change, and also runs Marvis Minis on a consistent basis. When put into action for a network service or application failure, Marvis Minis can quickly validate the failure and determine the blast radius. When widespread issues occur, Marvis Minis highlight Marvis Actions immediately, enabling your team to find and fix issues faster and more reliably. Marvis Minis help you more efficiently drive the best possible user experience.



Figure 8: Marvis Minis SSR Speed Test

Marvis Client

Available for Android, Windows, and MacOS devices, Marvis Client is a software agent delivering rich network visibility into Wi-Fi experiences from a user device's perspective. You can understand how any connected device sees the Wi-Fi environment and view its properties, such as device type, OS, radio hardware, and radio firmware versions. By focusing on the client's viewpoint, Marvis Client fills a critical visibility gap, offering comprehensive insights into how individual devices interact with the Wi-Fi environment.




Figure 9: Marvis Client supports Android, Windows, and MacOS client devices

With Marvis Client, client devices that have out-of-spec configurations, including firmware and radio firmware, and other device parameters are shown in the Mist dashboard.



Figure 10: Marvis Client listing in Mist dashboard

In addition, for Zebra-Android devices, Marvis Client leverages Zebra Wireless Insights to get more information about connection states, including detailed visibility into connection events and their causes. You can view details about client connection and disconnection events.

Users can view and analyze information about voice calls made using Zebra devices. The Mist dashboard provides details about when the call began and ended, along with the call performance. A summary of voice events is also available, both during and after calls.



Figure 11: Voice call events included with other client events

Marvis Large Experience Model (LEM)

Marvis Large Experience Model ditches the reactive troubleshooting cycle with an Al-native proactive approach. It integrates with Zoom and Microsoft Teams Experience Insights, which constantly monitors user activity through machine learning (ML). This real-time data feeds into the Shapley data science model, allowing Marvis LEM to proactively pinpoint the root cause of issues before they affect user experiences.




Figure 12: Marvis LEM dashboard




Figure 13: Marvis LEM dashboard

Anomaly detection

Marvis AI Assistant incorporates anomaly detection within SLEs to quickly notify administrators of service-impacting events so they can quickly identify and resolve the root cause of issues. Anomaly detection automatically applies machine learning to establish service baselines and triggers notifications when there is a deviation from known standards. The feature uses our third generation of algorithms in long-short-term memory (LSTM) and recurrent neural networks (RNN) to boost efficacy over 95%, minimizing false positives.

Large Language Model integration

Juniper has expanded Marvis' conversational interface (CI) capabilities to deliver even more human-like conversational capabilities, particularly regarding documentation and support issues. Specifically, Marvis AI Assistant can now leverage a Large Learning Model (LLM) interface when looking for historical information from Juniper's public-facing knowledge base information.

Zoom and Microsoft Teams integration

With new Zoom and Teams integration capabilities, Marvis Al Assistant can collect key user experience application data for Zoom and Teams clients and correlate it with key wired, wireless, and WAN data using advanced Al/ML techniques to identify the root cause of video conferencing problems quickly.



Figure 14: Marvis Zoom dashboard

Zebra wireless integration

The Marvis Client, along with the Zebra wireless insights, provides visibility into networking, connectivity, and application issues (voice) in line with when the device is in use. This provides the device Wi-Fi experience (as seen by the device) without running any additional synthetic tests.

Client service level expectations (SLEs)

Marvis AI Assistant complements the client SLE framework. It applies machine learning to track and monitor client and device

experiences with continuous behavioral analytics and network traffic analysis. The ability to understand these trends gives IT deeper insights for troubleshooting and planning.




Figure 15: Wi-Fi Assurance client service-level expectations

Multivendor switch insights

IT teams can use Marvis AI Assistant to gather health statistics of both Juniper and third-party switches connected to <u>Juniper access</u> <u>points</u>, including:

- How many access points are connected to a switch
- PoE compliance status, which helps manage and balance the power draw of connected devices
- Identification of VLANs that are misconfigured on switch ports where APs are connected but clients are getting blocked
- Version compliance for switches running dissimilar hardware
- Switch uptime



Figure 16: Wired Assurance switch-level insight

Marvis Al Assistant for Routing

The extension to Marvis Al Assistant for Routing enhances WAN operations with chat assistance, enabling faster documentation search by empowering network operators to query network configurations and ask detailed product questions.

About Juniper Networks

Juniper Networks believes that connectivity is not the same as experiencing a great connection. Mist^{**}, <u>Juniper's Al-native networking platform</u>, is built from the ground up to leverage Al to deliver exceptional, highly secure, and sustainable user experiences from the edge to the data center and cloud. Additional information can be found at <u>juniper.net</u> or connect with Juniper on <u>X</u> (formerly Twitter), <u>LinkedIn</u>, and <u>Facebook</u>.

Corporate and Sales Headquarters

Juniper Networks, Inc.

1133 Innovation Way

Sunnyvale, CA 94089 USA

Phone: 888.JUNIPER (888.586.4737) or +1.408.745.2000

www.juniper.net

APAC and **EMEA** Headquarters

Juniper Networks International B.V. Boeing Avenue 240 1119 PZ Schiphol-Rijk

Amsterdam, The Netherlands

Phone: +31.207.125.700



Driven by

Copyright 2025 Juniper Networks, Inc. All rights reserved. Juniper Networks, the Juniper Networks logo, Juniper, and Junos are registered trademarks of Juniper Networks, Inc. in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

1000698-007-EN May 2025 6